

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 27/03/2020

S235JR-S275JR: 12 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS						
	10	12	15	20	25	30	50
100	5.320	8.765	5.120				
120	8.015		6.910				
140						2.000	
150	690	7.195	6.105	3.215			1.440
160		2.330	1.790	1.200			
180	2.055		1.575	2.060			
200	5.525		1.750	2.680	3.390		
220		1.495				2.475	
250			375		1.775	1.400	
300					1.430	1.405	

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY
DATE: 27/03/2020

S355J2: 12 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS								
	8	10	12	15	20	25	40	50	60
50							3.645		
60								3.415	
80		2.040		115					5.460
100	3.215	7.495	1.200	17.650	1.890	3.090			
120		920	5.995	11.080	1.185	5.935			
140			955						
150	1.690	10.900	850	5.190	20.555				
160				1.130					
180		2.360	3.720	3.325	2.215	850			
200		3.200	2.305	3.405	6.495	6.660			
220	1.320	915	2.505		7.560				
250		9.700	7.910	23.505	27.870	9.565			
300		26.955	18.835	11.515	42.950	17.215			

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 27/03/2020

C45: 6 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS									
	10	12	15	20	25	30	35	40	50	60
40					2.775					
60									1.410	
70						2.610			1.650	
80	5.010			2.300			925			
90	1.040		705	1.695	2.225			1.565		1.035
100		2.670		1.450		1.160	500	3.220		
120		545								
130								1.740	630	
140	1.895	2.535	2.315					1.330		
150								1.425	4.210	
160								3.680		2.260
180				2.070	4.285			2.800		
200	1.550			5.375	2.405				1.965	
250									1.775	

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY
DATE: 27/03/2020

C35: 6 Meters

KG ANCHO/WIDTH	ESPESOR/THICKNESS				
	10	15	30	40	60
60			3.330		
70		1.980			
80				2.250	
100					1.745
110	1.080				
130					2.220

CONSULTAR DISPONIBILIDAD/ CHECK AVAILABILITY

DATE: 27/03/2020

16MnCr5: 6 Meters

KG	ESPESOR/THICKNESS
ANCHO/WIDTH	60
140	1.620

27MnB5-2: 6 Meters

KG	ESPESOR/THICKNESS							
ANCHO/WIDTH	8	10	12	15	20	30	35	40
40				2.200				
50		1.345				3.820		
60					2.515		850	
80			1.125	12.940			2.400	11.895
90			6.040					
100			2.440					
110	915							
120			1.110					
150		1.490	1.060					
160			4.390					